

Originalarbeiten

1. Long-term survival of intrastriatal dopaminergic grafts: modulation of acetylcholine release by graft-derived dopamine.
Jackisch-R; Duschek-M; Neufang-B; Rensing-H; Hertting-G; Herman-JP
Journal of Neurochemistry (1991), 57: 267-276
2. Alpha 2-adrenoceptor mediated inhibition of exocytotic noradrenaline release in the absence of extracellular Ca^{2+} .
Jackisch-R; Huang-HY; Rensing-H; Lauth-D; Allgaier-C; Hertting-G
European Journal of Pharmacology (1992), 226: 245-252
3. Organspezifisches Expressionsmuster eines Kohlenmonoxid-generierenden Stressproteins (Hamoxigenase-1/Hitzeschock-protein 32) nach hämorrhagischem Schock.
Bauer-M; Rensing-H; Bauer-C; Bauer-I; Larsen-R
Anästhesist (1997), 46: 339-342
4. Expression pattern of heme oxygenase isoenzymes 1 and 2 in normal and stress-exposed rat liver.
Bauer-I; Wanner-GA; Rensing-H; Alte-C; Miescher-EA; Wolf-B; Pannen-BH; Clemens-MG; Bauer-M
Hepatology (1998), 27: 829-838
5. Role of reactive oxygen species for hepatocellular injury and heme oxygenase-1 gene expression following hemorrhage and resuscitation
Rensing-H; Bauer-I; Peters-I; Wein-T; Silomon-M; Jaeschke-H; Bauer M
Shock (1999), 12: 300-308
6. Differential expression pattern of heme oxygenase-1/heat shock protein 32 and nitric oxide synthase-II and their impact on liver injury in a rat model of hemorrhage and resuscitation.
Rensing-H; Bauer-I; Datene-V; Pätau-C; Pannen-BHJ; Bauer-M
Critical Care Medicine (1999), 27: 2766-2775
7. Endotoxin desensitization of human mononuclear cells after cardiopulmonary bypass: role of humoral factors.
Grundmann-U; Rensing-H; Adams-HA; Falk-S; Wendler-O; Ebinger-N; Bauer-M
Anesthesiology (2000), 93: 359-369
8. Transcriptional activation of heme oxygenase-1 and its functional significance in acetaminophen-induced hepatitis and hepatocellular injury in the rat.
Bauer-I; Vollmar-B; Jaeschke-H; Rensing-H; Kraemer-T; Larsen-R; Bauer-M
Journal of Hepatology (2000), 33: 395-406
9. Kupffer cells and neutrophils as paracrine regulators of the heme oxygenase-1 gene in hepatocytes after hemorrhagic shock.
Paxian-M, Rensing-H, Rickauer-A, Schönhofen-S, Schmeck-J, Pannen-BHJ, Bauer-I, Bauer-M
Shock (2001), 15: 438-445
10. Differential activation pattern of redox-sensitive transcription factors and stress-inducible dilator systems HO-1 and iNOS in hemorrhagic and endotoxic shock
Rensing-H, Jaeschke-H, Bauer-I, Pätau-C, Datene-V, Pannen-BHJ, Bauer-M
Critical Care Medicine (2001), 29: 1962-1971
11. Monocyte deactivation in abacterial SIRS and severe human sepsis.
Wilhelm-W, Grundmann-U, Rensing-H, Werth-M, Langemeyer-J, Stracke-C, Dhingra-D, Bauer-M.
Shock (2002), 17: 354-360.

12. Hepatic redox regulation of transcription factors activator protein-1 and nuclear factor kappa B after hemorrhagic shock in vivo.
Paxian-M, Bauer-I, Kaplan-D, Bauer-M, Rensing-H
Antioxidants and Redox Signaling (2002), 4: 711-720.
13. Impact of alloantigens and storage associated factors on stimulated cytokine response in an in vitro model of blood transfusion
Biedler-AE, Schneider-SO, Seyfert-U, Rensing-H, Grenner-S, Girndt-M, Bauer-I, Bauer-M
Anesthesiology (2002), 97: 1102-1109.
14. Endothelin-1 and heme oxygenase-1 as modulators of sinusoidal tone in the stress exposed rat liver
Rensing-H, Bauer-I, Zhang-JX, Paxian-M, Pannen-BHJ, Yokoyama-Y, Clemens-MG, Bauer-M
Hepatology (2002), 36: 1453-1465.
15. Perflubron emulsion in prolonged hemorrhagic shock: Influence on hepatocellular energy metabolism and oxygen-dependent gene expression
Paxian-M, Rensing-H, Geckes-K, Bauer-I, Kubulus-D, Spahn-DR, Bauer-M
Anesthesiology (2003), 98: 1391-1399
16. Lebensbedrohliche Dislokation einer Trachealkanüle bei einer Patientin mit oropharyngealem Angioödem
Grundmann-U, Schick-B, Rensing-H
Anästhesist (2003), 52: 47-50
17. Oxygen paradox and hepatocellular apoptosis after hemorrhagic shock
Paxian-M, Bauer-I, Rensing-H, Jaeschke-H, Mautes-AEM, Kolb-SA, Wolf-B, Stockhausen-A, Jeblick-S, Bauer-M
FASEB J (2003), 17: 993-1002
18. Expression pattern and regulation of heme oxygenase-1/heat shock protein 32 in human liver cells
Bauer-I, Rensing-H, Florax-A, Ulrich-C, Pistorius-G, Redl-H, Bauer-M
Shock (2003), 20: 116-122
19. Heme oxygenase-1 gene expression in pericentral hepatocytes through beta-1 adrenoceptor stimulation
Rensing-H, Bauer-I, Kubulus-D, Wolf-B, Winning-J, Ziegeler-S, Bauer-M
Shock (2004), 21: 376-387
20. Women report more pain on injection of a precurarization dose of rocuronium: A randomized, prospective, placebo-controlled trial
Mencke-T, Schreiber-J, Knoll-UH, Stracke-C, Kleinschmidt-S, Rensing-H, Silomon-M
Acta Anesthesiol Scand (2004), 48: 1245-1248
21. Influence of heme based solutions on stress protein expression and organ failure after hemorrhagic shock
Kubulus-D, Rensing-H, Paxian-M, Thierbach-JT, Meisel-T, Redl-H, Bauer-M, Bauer-I
Critical Care Med (2005), 33:629-637
22. Insulin prevents liver damage and preserves liver function in lipopolysaccharide-induced endotoxemic rats
Jeschke-MG, Rensing-H, Klein-D, Schubert-T, Mautes-AEM, Bolder-U, Croner-RS
J Hepatol (2005), 42:870-879.
23. Wenn Sicherheit zur Gefahr wird: Penetrierendes Trauma durch Seitenauflaufschutz
Winning-J, Culemann-U, Sonnhalter-M, Pohlemann-T, Rensing-H
Anästhesist (2005), 54:679-683

24. Einfluss des Geschlechts auf die Intubationsbedingungen nach Rocuronium
Mencke-T, Schreiber-JU, Knoll-H, Werth-M, Grundmann-U und Rensing-H
Anästhesist (2005), 54:884-888
25. Does the timing of tracheal intubation based on neuromuscular monitoring decrease laryngeal injury? A randomized, prospective, controlled trial.
Mencke-T, Echternach-M, Plinkert-PK, Johann-U, Afan-N, Rensing-H, Noedlge-Schomburg-G, Knoll-H, Larsen-R
Anesth Analg (2006) 102:306-312
26. Einfluss des Geschlechts auf die stimulierbare Zytokinantwort bei Patienten mit schwerer Sepsis
Bauer-I, Bauer-M, Raddatz-A, Luedtke-C, Werth-M, Silomon-M, Rensing-H Wilhelm-W
Anästhesist (2006), 55:515-527
27. Dobutamine pretreatment prevents shock related liver dysfunction by induction of heme oxygenase-1
Raddatz-A, Kubulus-D, Winning-J, Bauer-I, Pradarutti-S, Wolf-B, Kreuer-S, Rensing-H
Am J Respir Crit Care Med (2006), 174: 198-207
28. Modulation of gram-positive or gram-negative stimulated cytokine response by antibiotics in cultured human whole blood
Ziegeler-S, Hoff-G, Buchinger-H, Bauer-I, Stockhausen-A, Raddatz-A, Sasse-H, Sandmann-I, Rensing-H
Acta Anaesthesiologica Scandinavica (2006), 50:1103-1110
29. Induction of heme oxygenase-1 / heat shock protein 32 and heat shock protein 70 in cultured rat hepatocytes by glutathione depletion: Role of calcium signalling.
Silomon-M, Bauer-I, Bauer-M, Nolting-J, Paxian-M, Rensing-H
Cellular & Molecular Biology Letters (2007), 12:25-38
30. Operative Versorgung einer peretrochantären Femurfraktur unmittelbar nach Stent-PTCA eines akuten Myokardinfarkts
Mathes-AM, Riemer-I, Link-A, Rensing-H
Anaesthetist (2007), 56:232-235
31. Inducible nitric oxide synthase and heme oxygenase-1 in the lung during lipopolysaccharide tolerance and cross tolerance
Koch-A, Boehm-O, Zacharowski-PA, Loer-SA, Weimann-J, Rensing-H, Foster-SJ, Schmidt-R, Berkels-R, Reingruber-S, Zacharowski-K
Crit Care Med (2007) 35: 2775-2784.
32. Melatonin pretreatment improves liver function and hepatic perfusion after hemorrhagic shock
Mathes-AM, Kubulus-D, Pradarutti-S, Bentley-A, Weiler-J, Wolf-B, Ziegeler-S, Bauer-I, Rensing-H
Shock (2008), 29: 112-118
33. Melatonin receptors mediate improvements of liver function but not of hepatic perfusion and integrity after hemorrhagic shock in rats.
Mathes-AM, Kubulus-D, Weiler-J, Bentley-A, Waibel-L, Wolf-B, Bauer-I, Rensing-H
Crit Care Med (2008), 36: 24-29
34. Melatonin receptor antagonist luzindole is a powerful radical scavenger in vitro.
Mathes-AM, Wolf-B, Rensing-H
J Pineal Res (2008), 45: 337-338

35. Hemin arginate-induced heme oxygenase-1 expression improves liver microcirculation and mediates an anti-inflammatory cytokine response after hemorrhagic shock.
Kubulus-D, Mathes-AM, Pradarutti-S, Raddatz-A, Heiser-J, Pavlidis-D, Wolf-B, Bauer-I, Rensing-H
Shock (2008), 29: 583-590
36. Fiberoptic-guided intubation via the Laryngeal Mask Airway Supreme.
Mathes-AM, Wrobel-M, Reus-E, Rensing-H, Grundmann-U
J Clin Anesth (2008), 20: 322-323
37. Selective activation of melatonin receptors with ramelteon improves liver function and hepatic perfusion after hemorrhagic shock in rat
Mathes-AM, Kubulus-D, Pradarutti-S, Bentley-A, Weiler-J, Wolf-B, Ziegeler-S, Bauer-I, Rensing-H
Crit Care Med (2008), 36:2863-2870
38. Argatroban for anticoagulation in continuous renal replacement therapy
Link-A, Girndt-M, Selejan-S, Mathes-AM, Böhm-M, Rensing-H
Crit Care Med (2009), 37:105-110
39. Effects of Hemofiltration and Mannitol Treatment on Cardiopulmonary-Bypass Induced Immunosuppression
Ziegeler-S, Raddatz-A, Sandmann-I, Sasse-H, Lausberg-H, Rensing-H
J Scand Immunol (2009), 69:234-241
40. Bilateral pneumothoraces, pneumomediastinum, pneumoperitoneum, pneumoretroperitoneum, and subcutaneous emphysema after thoracoscopic anterior fracture stabilization.
Garcia-P, Pizanis-A, Massmann-A, Reischmann-B, Burkhardt-M, Tosounidis-G, Rensing-H, Pohlemann-T
Spine (2009), 34:E371-375
41. Endothelin-1 contributes to haemoglobin glutamer-200 mediated hepatocellular dysfunction after hemorrhagic shock.
Kubulus-D, Mathes-AM, Pradarutti-S, Pavlidis-D, Jellestad-L, Heiser-J, Wolf-B, Bauer-I, Rensing-H
Shock (2009), 32:179-189
42. Impact of platelets and fresh frozen plasma in contrast to red cell concentrate on unstimulated and stimulated cytokine release in an in-vitro model of transfusion
Schneider-SO , Rensing-H , Gräber-S, Kreuer-S, Kleinschmidt-S, Kreimeier-S, Müller-P, Mathes-AM, Biedler-AE
Scand J Immunol (2009), 70:101-105.
43. Comparative pharmacodynamic modeling of desflurane, sevoflurane and isoflurane
Kreuer-S, Bruhn-J, Wilhelm-W, Grundmann-U, Rensing-H, Ziegeler-S
J Clin Monit Comput (2009), 23:299-305
44. Candida bloodstream infections in intensive care units: analysis of the extended prevalence of infection in intensive care unit study
Kett-DH, Azoulay-E, Echeverria-PM, Vincent-JL; Extended prevalence of infection in intensive care unit study (EPIC II) Group of Investigators
Crit Care Med (2011), 39:665-670

45. Impact of shed blood products on stimulated cytokine release in an in vitro model of transfusion
Schneider-SO, Biedler-AE, Behmenburg-F, Volk-T, Rensing-H
Acta Anaesthesiol Scand (2012), 56:724-729
46. Effect of empirical treatment with moxifloxacin and meropenem vs meropenem on sepsis-related organ dysfunction in patients with severe sepsis: a randomized trial
Brunkhorst-FM, Oppert-M, Marx-G, Bloos-F et al.; German Study Group Competence Network Sepsis (Sepnet).
JAMA (2012), 307:2390-2399

Übersichtsarbeiten

1. Anästhesie und perioperative Immunfunktion.
Bauer-M; Rensing-H; Ziegenfuss-T
Anästhesist 1998, 47: 538-556
2. Lagerungsabhängige Beeinflussung der Sauerstofftransportkapazität von Erythrozytenkonzentraten.
Rensing-H
Anaesthetist 2001, (Suppl. 1) 50: S9-S15
3. Multiorganversagen: Mechanismen, klinische Manifestation und Therapiestrategien.
Rensing-H, Bauer-M
Anaesthetist 2001, 50: 819-841
4. Endotoxin: Pathogenetische Bedeutung bei der Sepsis
Rensing-H
Anaesthetist 2003, (Suppl. 1) 52: S7-S13

Buchbeiträge

Praxishandbuch Anästhesie Deutscher Ärzte-Verlag

2. Auflage 2009
Autor der Kapitel Unfallchirurgie, Orthopädie, Polytrauma und Massive Blutung.

Analgosedierung in der Intensivmedizin Unimed Verlag

Erscheinungsdatum 2006
Autor des Kapitels „Pharmaka und Techniken zur Analgosedierung: Hypnotika, Sedativa und Adjuvanzien“.

Praxis der Intensivmedizin Springer Verlag

2. Auflage 2013
Autor des Kapitels Sepsis und Surviving Sepsis Campaign